REQUEST FOR PROPOSAL (TENDER FORM)

REQUEST FOR PROPOSAL FOR MODERNISATION / RENOVATION OF CHEMISTRY LABS AT SENIOR WING OF ARMY PUBLIC SCHOOL CHANDIMANDIR

- 1. Sealed Tenders are invited on Two Bid System for renovation of Chemistry Labs at Army Public School Chandimandir Cantt (Haryana) Tender for <u>Modernization / Renovation of Chemistry Labs</u> is to be clearly written on top of the sealed envelope that contains the tender document. Sealed Tender is to be addressed to the Principal, Army Public School, Chandimandir.
- 2. The address and contact numbers for sending Bids or seeking clarification regarding this RFP are given below:-

(a) Bids/queries to be addressed to : The Principal,

Army Public School, Chandimandir

(b) Postal address for sending the Bids: The Principal,

Army Public School,

Sector-D, Chandimandir Cantt District Panchkula, Haryana 134107

(c) Contact number for clarifications, if any, should be made by contacting the office. Interested/eligible firms desirous of undertaking site-inspection with regard to execution of the work may visit the school on any working day between 0900h to 1300h upto three working days prior to bid closing date.

: 0172-2554605 / 9501022756

(d) E-mail ID of contact personnel

: principalapschm@yahoo.co.in

- 3. You are to sign with date on both the tender and terms and conditions pages and duly stamp them along with signature, name and address on all pages of the bid document(s). You are not to make any alternation or addition to any of the documents connected with the tenders.
- 4. Your offer is to remain valid for a minimum period of 90 days from the date of Bid opening. Earnest money deposit (EMD) ₹ 50,000/- (₹fifty thousand only) shall be paid in favour of Army Public School, Chandimandir Cantt in the form of an Account Payee Demand Draft payable at Chandimandir / Chandigarh.
- 5. This RFP is divided into three Parts as follows:-
 - (a) Part I-Contains General Information and Instructions of RFP.
 - (b) Part II-Essential Technical Specification for renovation of Chemistry Labs
 - (c) Part III-Financial Bid and Safety Clause.
- 6. This RFP is being issued with no financial commitment and the buyer reserves the right to change or vary any part thereof at any stage. Buyer also reserves the right to withdraw the RFP, should it become necessary at any stage.

- 7. The approval or rejection of tenders, rests with the School Management of Army Public School, Chandimandir Cantt who reserves the right of rejecting any tender in whole or in part without assigning any cause. The lowest tender will not necessarily be accepted.
- 8. Please return this letter duly signed along with the complete Tender documents.

I / We / am / are in possession of complete set of tender documents / forms issued by you and have understood and agree to abide by the above terms and conditions as well as those contained in the contract forms. The attached tender form, duly completed and signed is submitted herewith.

Station	:	Signature of Tenderer(s)
Date	:	(Name & Address in full and Capacity i.e
		Proprietor/Partner/Authorised Attorney
		etc.)
		Contact No
	(D	LIDDED STAMD)

PART I – GENERAL INFORMATION

Sealed Tenders are invited for **Renovation of Chemistry Labs** at Army Public School, Chandimandir Cantt, Panchkula (Haryana). Firms fulfilling the conditions and capable to undertake above supplies/project may submit bid form with the requisite documents such as Earnest Money Deposit, GST Registration Certificate etc. Tender is to be kept in sealed cover super scribing "**Renovation of Chemistry Labs**".

- 1. Last date and time for depositing the Bids. The last date for depositing of Tender will be on 10 Jan 2025 at 1300 hrs. The sealed Tenders should bedeposited / received by due date and time. The responsibility to ensure this lies with the Bidder.
- 2. <u>Manner of depositing the Bids</u>. Sealed Bids should be either dropped in the Tender Box at the school or sent by registered post at the address given above so as to reach by the due date and time.
- 3. <u>Time and date for opening of Bids</u>. Bids will be opened on <u>13 Jan 2025 at 1200 hrs</u> and analysed by a board of Officers suitably nominated. If due to any exigency, the due date for opening of the Bids is declared a closed holiday, the Bids will be opened at the same time or on any other day/time, as intimated by the Buyer.
- 4. <u>Validity of Bids</u>. The Bids should remain valid for a period of 90 days (03 months) from the date of opening of the commercial bid and also that the price finalized will remain valid for a period of 90 days (03 months) from the date of such finalization.
- 5. <u>Earnest Money Deposit</u>. Bidders are required to submit Earnest Money Deposit (EMD) for amount of ₹50,000/- (₹ Fifty thousand only) along with their bids. Earnest money deposit shall be paid in favour of Army Public School, Chandimandir Cantt in the form of an Account Payee Demand Draft payable at Chandimandir / Chandigarh.
- 6. **Past Experience**. Past experience if any, in providing contract to major organizations including Army, Navy or Indian Air force is to be substantiated with a certificate issued by the organization.
- 7. **Scope of Work**. In exceptional cases and exigencies of service, the School Management has the right to amend the scope of work.
- 8. The School Management shall have the right to accept or reject tender bids without assigning any reason thereof, whatsoever.

Station	:	Signature ofTenderer(s)
		(Name & Address in full and Capacity)
Date	:	(i.e. Proprietor/Partner/Authorised
		Attorney etc.)
		Contact No

PART II - ESSENTIAL TECHNICAL DETAILS OF ITEMS/SERVICES REQUIRED

1. <u>Requirements & Technical Details.</u> The technical specifications of "RENOVATION OF CHEMISTRY LAB - 1 AND 2" are as under: -

SPECIFICATIONS FOR RENOVATION OF CHEMISTRY LABS AT ARMY PUBLIC SCHOOL CHANDIMANDIR CANTT

CHEMISTRY LAB - 1 AND CHEMISTRY LAB - 2

Ser No	Particulars	Qty	Unit	Compliance to RFP specification whether Yes / No
(a)	Demonstration Table with 1 base cabinet, (1 drawer & 2 shutters 1no). Tabletop:18+/-1mm thick well-polished Jet-Black Granite with half round nosing, acid-resistant, alkali-resistant Material of Construction for Work Bench: 18G thick CRC Sheet. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom one Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided Table Dimension-1800mm W* 600mm D* 800mm H Storage Dimension- 600mm W* 520mm D	1+1	Set	
(b)	Glass Shutter Full Height cabinet:	2+2	Set	
(c)	Upgradation work 1 for existing RCC Wall Facing table Material of Construction for Upgradation work: Usage of 18-20G thick CRCA Sheet. Interior & Exterior will be provided with Epoxy powder-coated finish. (40-60 Microns) Under Bench Storage Cupboards will be provided with Two Shutters and one Horizontal Partition Shelf. Storage Cabinet Size will vary from 600mm to 750 mm as per site condition. Removable Cover panels or filler panels will be provided wherever necessary for closing of Sink Area or Pillar area. Removable panels size will vary from 600mm to 750mm as per site condition All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Ebco/Hettich/Godrej)	1+1	Set	
(d)	Upgradation work 2 for existing RCC Wall facing table Material of Construction for Upgradation work: Usage of 18-20G thick CRCA Sheet. Interior & Exterior will be provided with Epoxypowder-coated finish. (40-60 Microns) Under Bench Storage Cupboards will be provided with Two Shutters & one Horizontal Partition shelf. Storage Cabinet Size will vary from 600mm to 750 mm as per site condition. Removable Cover panels or filler panels will be provided wherever necessary for closing of Sink Area or Pillar area. Removable panels size will vary from 600mm to 750 mm as per site condition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Ebco/Hettich/Godrej)	1+1	Set	

(e)	Upgradation work 3 for existing RCC Wall facing table Material of Construction for Upgradation work: Usage of 18-20GthickCRCA Sheet. Interior & Exterior will be provided with Epoxy powder-coated finish. (40-60Microns) Under Bench Storage Cupboards will be provided with Two Shutters & one Horizontal Partition shelf. Storage Cabinet Size will vary from 600mm to 750 mm as per site condition. Removable Cover panels or filler panels will be provided wherever necessary for closing of Sink Area or Pillar area. Removable panels size will vary from 600mm to 750 mm as per site condition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Ebco/Hettich/Godrej)	1+1	Set	
(f)	Storage area Upgradation work for existing RCC Wall Facing table Material of Construction for Upgradation work: Usage of 18-20G thick CRCA Sheet. Interior & Exterior will be provided with Epoxy powder-coated finish. (40-60 Microns) Under Bench Storage Cupboards will be provided with Two Shutter and one Horizontal Partition shelf. Storage Cabinet Size will vary from 600mm to 750mm as per site condition. Removable Cover panels or filler panels will be provided wherever necessary for closing of Sink Area or Pillar area. Removable panels size will vary from 600mm to 750mm as per site condition All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Ebco/Hettich/Godrej)	1+1	Set	

- 2. <u>Conditions under which this RFP is issued</u>. This RFP is being issued with no financial commitment and School reserves the right to change or vary any part thereof at any stage. The school reserves the right to reject any or all of the offers without assigning any reason whatsoever. The school also reserves the right to withdraw the RFP should it be so necessary at any stage.
- 3. Requirement of pre-site/equipment inspection. The inspection will be carried out by a Board of Officers on behalf of the buyer. The mode of inspection will be joint inspection.
- 4. **Quality of Stores.** The quality of the stores delivered according to the present Contract shall correspond to the technical conditions and standards valid for the deliveries of the same stores in Seller's country or specifications enumerated. The following quality requirements to be met and dimensions of work station to be as per **Part II of the Bid (Essential Technical Details)**.
 - (a) The workbenches to be of thick CRCA sheet.
 - (b) Work benches to be water/ moisture, acid & alkali resistant.
 - (c) Furniture & glass cabinets to be covered by a warranty of min 10 years.
 - (d) Material used will be new & not recycled/ reused.
 - (e) Material used should be termite proof.

5. Bidders are required to furnish clause by clause compliance of specifications bringing out clearly the deviations from specification, if any. The Bidders are advised to submit the compliance statement in the following format:—

TECHNICAL EVALUATION PROFORMA

Ser No	Description	Clauses as per RFP	Compliance with TE Specification whether Yes or No (Number to be Mentioned Where Applicable)	In case of Non- Compliance Deviation from TE Specification to be indicated in Unambiguous Terms
	1	2	3	4
1	Firm's Name	Owner & Contractor Name		
2	Firm's Details	Firm's Address and TelephoneNo.		
3	PAN Details	Copy of PAN		
4	TIN/CST Details	Copy of TIN/CST/APGST No.		
5	Bank Details	Bank Name, address, A/c No with IFSC Code		
6	Past Experience	Bidder should have executed such projects. Supporting proof to be submitted.		
7	EMD Amount	EMD as mentioned in RFP is to be deposited along with the bid.		
8	Balance sheet and Profit and Loss statement	The balance sheet / Profit & Loss statement of one financial year duly certified by auditors / CA is to be attached.		

6. <u>Warranty</u>. One-year warranty for the work and a warranty certificate should also be provided. Failure to provide warranty services during the warranty period, the costs for making good of the equipment shall be recovered from the performancesecurity.

Station	<u>:</u>	Signature of Tenderer(s)
		(Name & Address in full and Capacity
Date	: <u> </u>	i.e., Proprietor/Partner/Authorised Attorney etc.)

PART-III: FINANCIAL BID FORMAT

The Financial Bid Format is given below and Bidders are required to fill this up correctly with full details

(QUOTE OF UNIT RATE - FOR RENOVATION OF CHEMISTRY LAB INCLUDES GST/TAXES, TRANSPORTATION, INSTALLATION OTHER ALLIED CHARGES ETC IN ALL RESPECTS) (APPROXIMATE QUANTITY REQUIRED AS PER RFP)

CHEMISTRY LAB - 1 AND CHEMISTRY LAB - 2

Ser No	Particulars	Qty	Unit	Brand	Rate including GST	Total Amount
(a)	Demonstration Table with 1 base cabinet, (1 drawer & 2 shutters 1no). Tabletop:18+/- 1mm thick well-polished Jet-Black Granite with half round nosing, acid-resistant, alkaliresistant Material of Construction for Work Bench: 18G thick CRC Sheet. Interior & Exterior will be provided with powder-coated finish. Under Bench Cupboards will be provided with Top Drawer and Bottom one Shutter with one Horizontal Partition. All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided Table Dimension-1800mm W* 600mm D* 800mm H Storage Dimension- 600mm W* 520mm D	1+1	Set		931	
(b)	Glass Shutter Full Height cabinet: Made of epoxy powder coated 18-gauge sheet, Dimension-900mm W x 485mm D x 1950 mm H	2+2	Set			
(c)	Upgradation work 1 for existing RCC Wall Facing table Material of Construction for Upgradation work: Usage of 18-20G thick CRCA Sheet. Interior & Exterior will be provided with Epoxy powder-coated finish. (40-60 Microns) Under Bench Storage Cupboards will be provided with Two Shutters and one Horizontal Partition Shelf. Storage Cabinet Size will vary from 600mm to 750 mm as per site condition. Removable Cover panels or filler panels will be provided wherever necessary for closing of Sink Area or Pillar area. Removable panels size will vary from 600mm to 750mm as per site condition All necessary hardware fitting like Heavy Duty Drawer Channels for smooth rolling to be provided (Hardware Make: Ebco/Hettich/Godrej)	1+1	Set			
(d)	Upgradation work 2 for existing RCC Wall facing table					
	Material of Construction for Upgradation work: Usage of 18-20G thick CRCA Sheet.					

_			1		T	T	1
		Interior & Exterior will be provided with Epoxy					
		powder-coated finish. (40-60 Microns)					
		Under Bench Storage Cupboards will be					
		provided with Two Shutters & one Horizontal	1+1	Set			
		Partition shelf.					
		Storage Cabinet Size will vary from 600mm					
		to 750 mm as per site condition. Removable					
		Cover panels or filler panels will be provided					
		wherever necessary for closing of Sink Area					
		or Pillar area.					
		Removable panels size will vary from 600mm					
		to 750 mm as per site condition.					
		All necessary hardware fitting like Heavy					
		Duty Drawer Channels for smooth rolling to					
		be provided (Hardware Make: Ebco/ Hettich/					
	(-)	Godrej)					
	(e)	Upgradation work 3 for existing RCC Wall					
		facing table					
		Material of Construction for Upgradation					
		work: Usage of18-20GthickCRCA Sheet.					
		Interior & Exterior will be provided with Epoxy					
		powder-coated finish. (40-60Microns)	1+1	Set			
		Under Bench Storage Cupboards will be					
		provided with Two Shutters & one Horizontal					
		Partition shelf.					
		Storage Cabinet Size will vary from 600mm					
		to 750 mm as per site condition. Removable					
		Cover panels or filler panels will be provided					
		wherever necessary for closing of Sink Area					
		or Pillar area. Removable panels size will					
		vary from 600mm to 750 mm as per site					
		condition. All necessary hardware fitting like					
		Heavy Duty Drawer Channels for smooth					
		rolling to be provided (Hardware Make:					
		Ebco/ Hettich/Godrej)					
	(f)	Storage area Upgradation work for existing					
	` '	RCC Wall Facing table					
		Material of Construction for Upgradation work:					
		Usage of 18-20G thick CRCA Sheet. Interior &					
		Exterior will be provided with Epoxy powder-					
		coated finish. (40-60 Microns)					
		Under Bench Storage Cupboards will be					
		provided with Two Shutter and one					
		Horizontal Partition shelf.	1+1	Set			
		Storage Cabinet Size will vary from 600mm					
		to 750mm as per site condition.					
		Removable Cover panels or filler panels will					
		be provided wherever necessary for closing					
		of Sink Area or Pillar area. Removable					
		panels size will vary from 600mm to 750mm					
		as per site condition. All necessary hardware					
		fitting like Heavy Duty Drawer Channels for					
		smooth rolling to be provided (Hardware Make:					
		Ebco/ Hettich/Godrej)					
				_			

Price Includes:

- (a) All materials & CIFcharges
- (b) InstallationCharges
- (c) Import Duty and Custom Clearance if any
- (d) Fares and accommodation of technicians who will work for renovation

Priceexcludes:

- (a) Balance material leftover
- (b) Any other additionalwork
- (c) Water & Electricity atsite
- (d) Taxes Included (Mentionedseparately)

Warranty Period: (If any)

- (a) <u>PaymentTerms</u>: No advance payment will be made. Payment will be made by NEFT after checking the quality of work/ material used and entire satisfaction.
- (b) Conditional rates will neither be acceptable nor applicable.

Other Condition: -

1. In case of any defect, you will be responsible to rectify the same or replace the item forthwith within one year from the date of payment of bill. 10% security will be deducted from final amount for guarantee/warranty of items which will be returned after one year without interest.

or

You are required to furnish 10% of the order value in the form of Bank Guarantee obtained from Nationalised /Scheduled Bank towards Performance Security. The Bank Guarantee shall remain valid for a period of one year beyond the date of completion of all the obligations of supply, installation and commissioning of the complete project, including warranty.

2. Failure to provide warranty services during the warranty period, the costs for making good of the equipment shall be recovered from the security.

Station	<u>:</u>	Signature ofTenderer(s)
		(Name & Address in full and Capacity)
Date	:	(i.e. Proprietor/Partner/Authorised
		Attorney etc.)
		Contact No.

"SAFETY CLAUSE"

- The School authorities shall not be responsible for any injury /casualty or loss of life that may take place during the course of contracted work/service and any compensation or expenditure towards treatment for such injury/casualty shall be the sole responsibility of the CONTRACTOR.
- 2. The Contractor/Vendor is to ensure adequate safeguards for personnel when employed on work where risk to human health/injury is involved. The contractor / vendor is to comply with the following conditions regarding Labour Welfare and Safety: -
 - (a) The contractor is to ensure that the workers are adequately equipped with safety gear/equipment that is necessitated by the nature of the work involved.
 - (b) Contractor is to be fully conversant with the procedure for timely administration of First Aid in case of accidents. He is also to be aware of hospitals/medical units close the work site, and take immediate action in case of anyaccident.
 - (c) School authorities are to be informed by the contractor immediately in the eventuality of any accident taking place.
 - (d) Compensation to the family on account of injury of any labourer employed by the contractor/vendor will be the sole liability of the contractor /vendor.
 - (e) The contractor shall ensure that the labour employed by the contractor abides by all security regulations imposed by the school and does not in any manner compromise security of School property/area.
 - (f) The contractor will render proof of police verification of character and antecedents of his employees proposed to be employed inside School premises.

Station	<u>:</u>	Signature ofTenderer(s)
		(Name & Address in full and Capacity)
Date	:	(i.e. Proprietor/Partner/Authorised
		Attorney etc.)
		Telephone No.

CHECKLIST OF TENDER DOCUMENTS

The following tender documents should be attached with Tender duly signed by the bidder, failing which tender bid may be treated as rejected: -

- (a) Demand Draft for EMD for amount of ₹ 50,000/-(₹ Fifty thousand only) in favour of Army Public School, Chandimandir Cantt in the form of an Account Payee Demand Draft payable at Chandimandir / Chandigarh OR latest exemption for EMD as per Govt Rules.
- (b) Tender form includes Part I, II & III to be signed by the bidder wherever required with stamp and date. Part III comprising of Financial Bid should be sealed separately.
- (c) PAN Card photocopy duly self-attested.
- (d) A passport photograph of the signatory of the Tenderer duly self-attested.
- (e) One Cancelled Original Bill to be submitted along with the tenderForm.
- (f) TIN Number/VAT/CST/GST (copy to beattached)
- (g) <u>Bank Details for RTGS/NEFT:</u> Cancelled Bank Cheque (OR) Mandate Form issued by Bank with Bank A/c No. & Name of the A/c holder, IFSC Code No, Bank Name & Branch address, MICR Code etc.
- (h) Original Equipment Manufacturing (OEM) Certificate if any of the firm to be produced by the bidder along with tender forms.
- (i) Sales Tax Assessment last twoyears.
- (j) Service Tax Registration Details, ifapplicable
- (k) Each page of the tender shall be signed and stamped by the vendor/contractor. Any page not signed can be rejected.

Station	<u>:</u>	Signature ofTenderer(s)
		(Name & Address in full and Capacity)
Date	:	(i.e. Proprietor/Partner/Authorised
		Attorney etc.)
		Telephone No.







