ARMY PUBLIC SCHOOL CHANDIMANDIR CANTT DISTRICT PANCHKULA, HARYANA, PIN 134107

REQUEST FOR PROPOSAL (RFP) AGAINST OPEN TENDER ENQUIRY (OTE)

INVITATION OF BIDS FOR TURNKEY INFRASTRUCTURE AND EQUIPMENT SETUP OF SPORTS SHOOTING RANGE IN APS CHANDIMANDIR CANTT

- 1. Sealed bids under **Open Tender Enquiry** are invited by Army Public School Chandimandir Cantt for Items for Turnkey Infrastructure and Equipment Setup of Sports Shooting Range in APS, Chandimandir Cantt.
- 2. <u>Turnkey Project.</u> The said project is a turnkey project. The solution being offered by the vendor will be customized to the requirement of the buyer. Vendors will ensure that the bids submitted by them are complete. Tender for <u>Turnkey Infrastructure and Equipment Setup of Sports Shooting Range at Army Public School Chandimandir Cantt (Haryana)</u> is to be clearly written on top of the sealed envelope that contains the tender document.
- 3. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below:-

(a) Bids / Queries to be addressed to : The Principal

Army Public School, Chandimandir Cantt

District Panchkula, Haryana

PIN-134107

(b) Postal address for sending the Bids : Same as above

(c) Name/designation of the contact personnel : Principal

Army Public School, Chandimandir Cantt

(d) <u>Telephone numbers of the contact</u> : 0172 - 2554605

Personnel 9463391562, 8650505619

(e) <u>E-mail ID of contact personnel</u> : <u>principalapschm@yahoo.co.in</u>

(f) Contact number for clarifications, if any, should be made by contacting the office. Interested / eligible firms desirous of undertaking site-inspection with regard to execution of the work may visit the school on any working day between 0900h to 1300h up to three working days prior to bid closing date.

- : 9463391562, 8650505619
- 4. This RFP is divided into four Parts as follows:-
 - (a) Part I. Contains general information and instructions for the bidders about the RFP such as the time, place of submission and opening of tenders, validity period of tenders, etc.
 - (b) **Part II.** Contains essential details of scope of work, technical specifications, delivery period, mode of delivery and consignee details.
 - (c) <u>Part III.</u> Contains standard conditions of RFP, which will form part of the contract with the successful bidder.
 - (d) Part IV. Contains evaluation criteria and format for price bids.
- 5. <u>Placement of Order.</u> The Supply Order will be placed on successful conclusion of negotiations on L1 bidder.

- 6. This RFP is being issued with no financial commitment and the Buyer reserves the right to change or vary any part thereof at any stage. Buyer also reserves the right to withdraw the RFP, should it become necessary at any stage.
- 7. The vendors will submit their technical and commercial bids as per the format given in the tender document. The original copy should be attested the remaining two can be photocopies. If the original tender enquiry along with its appendices are not forwarded then the submitted tender would be rejected.

Principal, APS Chandimandir

PART I- GENERAL INFORMATION

- 1. <u>Last Date & Time for Depositing the Bids.</u> The last date for depositing bids is **05 Apr 2025 at 1500 hrs**.
- 2. <u>Manner of Depositing the Bids.</u> Sealed Bids should be either dropped in the Tender Box marked as "Tender Box" placed in Adm Block of APS Chandimandir Cantt or sent by registered post/speed post at the address given below so as to reach by due date and time. Late tenders will not be considered. No responsibility will be taken for postal delays or non-delivery/ non-receipt of Bid documents.

Principal
Army Public School, Chandimandir Cantt,
District Panchkula, HR
PIN 134107.

- 3. **Pre-bid Meeting.** Pre-bid meeting for the tender will be held in April 25 as notified on school website.
- 4. <u>Time & Date of Opening of Bids.</u> Bids will be opened on <u>03 Apr 2025 at 1100 hrs.</u> If due to any exigency, the due date for opening of the Bids is declared a closed holiday, the Bids will be opened on the next working day at the same time or on any other day/time, as intimated by the School management committee.
- 5. <u>Location of Tender Box.</u> Army Public School, Chandimandir Cantt. Only those bids that are found in the tender box will be opened. Bids dropped in the wrong Tender Box will be rendered invalid.
- 6. <u>Eligibility Criteria.</u> The bidder should have undertaken at least two similar projects in any school / any other organisation/ Office. Work order of the previous jobs to be submitted, failing which the bids will be summarily rejected.
- 7. <u>Cost of Tender.</u> Crossed demand draft of Rs. 100/- (Rupees One Hundred only) in favour of APS Chandimandir Cantt, payable at SBI Chandimandir Cantt will be deposited as tender fee (non-refundable). DD should be valid for minimum six months period. **Tender fee is NOT exempted for any firm.** The demand draft will be deposited along with the bids.
- 8. Opening of the Bids. The physical verification of tender bids will be done by a Procurement Committee at Army Public School, Chandimandir Cantt. The Bidders may depute their representatives, duly authorized in writing, to attend the opening of bids on the due date and time. However, the same is not mandatory. This event will not be postponed due to non-presence of your representative.
- 9. <u>Two Bid System.</u> Only the Technical bid will be opened on the time and date mentioned above. Date of opening of Commercial Bids will be intimated after acceptance of the Technical Bids. Commercial bids of only those firms will be opened whose Technical Bids have been accepted.
- 10. <u>Forwarding of Bid.</u> Bids should be forwarded by Bidders under their original memo/ letter pad inter alia furnishing details of GST Registration No, Bank address with NEFT Account if applicable, etc. and complete postal and e-mail address of their office.
- 11. <u>Clarification Regarding Contents of the RFP.</u> A prospective bidder who requires clarification regarding the contents of the bidding documents shall notify to the **Buyer** in writing about the clarifications sought not later than **seven days** of opening of the Bids. Copies of the query and clarification by the purchaser will be sent to all prospective bidders who have received the bidding documents.

12. <u>Modification and Withdrawal of Bids</u>

- (a) Any Tenderer, who proposes alterations to any of the condition, specifications laid down in the Tender documents or any new condition, whatsoever, is liable to be rejected. No bid shall be modified after the deadline for submission of bids.
- (b) If a bidder desires to withdraw before bid submission closing date/time, he may do so but cost of the tender will not be refunded.
- (c) No bid may be withdrawn in the interval between the deadline for submission of bids and expiry of the period of the specified bid validity.

- 13. Clarification Regarding Contents of the Bids. During evaluation and comparison of bids, the Buyer may, at its discretion, ask the bidder for clarification of his bid. The request for clarification will be given in writing and no change in prices or substance of the bid will be sought, offered or permitted. No post-bid clarification on the initiative of the bidder will be entertained. Should there be any requirement the buyer may ask the vendor to give a presentation and demonstration to clarify any matter on no cost no commitment basis.
- 14. <u>Rejection of Bids.</u> Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection. Conditional tenders will be rejected. This being a turnkey project, Bidders will bid for all items. Piecemeal / partial bids will be rejected.
- 15. <u>Validity of Bids.</u> The Bids should remain valid till **120 days (04 months)** from the last date of submission of the Bids.
- 16. <u>Earnest Money Deposit</u>. Bidders are required to submit Earnest Money Deposit (EMD) for an amount of **Rs 60,000/- (Rupees Sixty Thousand only)** along with their bids. Earnest money deposit shall be paid in favour of Army Public School, Chandimandir Cantt in the form of an Account Payee Demand Draft payable at Chandimandir / Chandigarh. Further details are furnished below:-
 - (a) The same is to be enclosed in a separate envelope inside the main envelope and **NOT repeat NOT enclosed** in the envelope of Technical/Commercial Bids.
 - (b) The EMD may be submitted in the form of a Fixed Deposit Receipt, Bank Guarantee from any of the public sector banks or a private sector bank authorised to conduct business with government. The same is to be drawn in favour of **Army Public School Chandimandir Cantt**, payable at Chandimandir Cantt.
 - (c) <u>Validity.</u> The bid security is to remain valid for a period of forty-five days beyond the final bid validity period. EMD of the unsuccessful bidders will be returned to them, without any interest whatsoever, at the earliest after expiry of the final bid validity and latest on or before the 30th day after the award of the contract. The Bid Security of the successful bidder would be returned, without any interest whatsoever, after the receipt of Performance Security from them as called for in the contract.
 - (d) <u>Forfeiture.</u> The EMD will be forfeited if the bidder withdraws or amends impairs or derogates from the tender in any respect within the validity period of their tender. If the successful vendor/firm fails to furnish the required performance security then the EMD furnished will be forfeited.
- 17. Any missing Arch/ structural details which are essential for the project will be deemed to be included in the job and no claim will be entitled for the same.

PART II - ESSENTIAL DETAILS OF ITEMS/SERVICES REQUIRED

1. <u>Scope of Work.</u> The scope of work is given below.

S No	Nomenclature of Work	Quantity	Remarks
(a)	Turnkey Infrastructure and Equipment	01 (One)	
	Setup of Sports Shooting Range		

2. **Specifications.** The technical specifications and details of the work as mentioned at Ser No 1 above are shown as per **Appendix A**.

3. Requirement of Technical Documentation

- (a) The vendor will provide complete details of the work involved in the technical bid.
- (b) The vendor should have his own facility for construction material required to execute the work.
- (c) The vendor will submit the proof of at least two previous jobs of similar nature executed by him in last one year.
- (d) Vendors should have experience in construction of similar project in any APS within Western Comd.
- (e) Vendor to have a minimum average turnover of 30 lakh in last three years.
- (f) Vendors to have an office and service centre within Chandigarh Tricity.
- (g) Vendor should have experience of completing Turnkey project including civil work and shooting range construction with equipment and accessories.
- (h) Vendor to have all requisite government registrations/certificates
 - (i) PAN/Income Tax Payee
 - (ii) GST Registered
 - (iii) MSME preferred
 - (iv) ISO 9001-2015 certified
 - (v) Authorised vendor certified by all OEMs
- (j) Warranty for the items to be provided for up to two years.
- (k) Training and installation of the project to be done by bidder and certificate for the same to be uploaded in the documents of the bid.
- 4. <u>Two Bid Systems.</u> In respect of Two-Bid Systems, Bidders are required to furnish clause by clause compliance of specifications bringing out clearly the deviations from specifications, if any. Technical bid has to be submitted on the forms attached at **Appendix B** and the Commercial bid on the form attached at **Appendix C.**

5. <u>Inspection & Acceptance Testing</u>

- (a) <u>Initial Inspection.</u> Physical inspection of stores will be first carried out at **Army Public School Chandimandir Cantt by a Board of Officers** detailed. The Board will ensure that all the items delivered are as per bill of material. Items found defective/damaged/not conforming to technical QR will be replaced immediately by the seller with stores of correct specifications within 21 days of inspection at his own cost and risk. **In case of any dispute, decision of the buyer will be final and binding.**
- (b) <u>Procedure for Acceptance Testing.</u> After completion of the work there will be a one-month period for testing of the infrastructure. Any defects arising or noticed during this period by the Buyer will be rectified immediately by the vendor without any additional charges. The entire work including electrical items will be under comprehensive warranty against damages / breakages/failure for a period of one year.

- 6. <u>Project Completion Period.</u> Turnkey Infrastructure and Equipment Setup of Sports Shooting Range should be completed within 01 month from the effective date of contract. Please note that contract can be cancelled unilaterally by the Buyer in case items are not received within the contracted delivery period. Extension of contracted delivery period will be at the sole discretion of the Buyer, with applicability of LD clause.
- 7. **INCOTERMS / Terms of Delivery.** The manufactures shall be responsible for the safe delivery of the stores at the consignee's site, free of cost.

8. Consignee Details

Principal, Army Public School, Chandimandir Cantt, Panchkula (HR) Pin 134107

Appx A (Ref to Para 2 Part II of TE)

The technical specification of work is as under :-1.

S	Nomenclature of			
No	Work	Description of Work	A/U	Qty
(a)	Top End Premium	Scope of Work	Nos	01
	(stainless steel,	(i) 304 grade stainless steel (Jindal/J&B)		
	Malaysian rubber	structure, single continuous shooter table for six		
	wood) shooters table	lanes		
	and target end	(ii) High end electronic target trolley machine set		
	structure	quantity 06		
		(iii) Fully vinyl finish on shooter table		
		(iv) Frame based target end structure,		
		independent of wall		
		(v) Malaysian rubber board finish on target end		
		(vi) Electrification as per ISSF/NRAI standards		
		(vii) Premium LED recessed/panel lighting of		
		various luminosity as per ISSF standards		
		(viii) Complete wiring and electric fittings with ISI approved premium brand		
		(ix) Non-skid 2mm vinyl carpet in complete range		
(b)	PCP Rifles Indian	Technical Specifications	Nos	02
(5)	1 Of Talles Indian	(i) Max Velocity 175 mps/ 575 fps.	1100	02
		(ii) Power 7.5 Joules/ 5.5 ft-lb		
		(iii) Max pressure 155 bars/ 2250 PSI		
		(iv) Power plant PCP with self-regulating valve		
		(v) Shots per fill - 150 consistent shots		
		(vi) Barrel 12 Groove right hand twist 1 in 450mm		
		(vii) Front sight - Aperture sight with replaceable		
		front element		
		(viii) Rear sight - 20 clicks rear sight with anti-glare		
		tube mounted on 15mm riser block		
		x) Action mechanism side lever		
		x) Barrel length 580mm		
		(xi) Total weight 04 kgs		
		(xii) Caliber .177" (4.5mm)		
		(xiii) Safety/ Dry fire Manual (Hammer Blocking)		
		(xiv) Trigger two-stage match grade trigger.		
		Adjustable for trigger point, length of first pull, trigger		
		reach, height & swivel. (xv) Butt/ Stock		
		- Aluminium adjustable ambidextrous match		
		butt		
		- Adjustable cheek piece - up/ down, left/ right		
		Adjustable cheek piece - up/ down, lett/ right & tilt		
		- Adjustable butt plate - forward/ backward for		
		length of pull & swivel, up/down		
		- Ambidextrous pistol grip - adjustable		
		forward/ backward & rotation		

TECHNICAL SPECIFICATION AND DETAILS OF THE WORK

S No	Nomenclature of Work	Description of Work	A/U	Qty
(c)	Club Level PCP	Technical Specifications	Nos	01
(0)	Rifle Imported	(i) System - Compressed air 300 and 200 bar	1400	
	Time imported	(ii) Caliber - 4.5mm (.177) pellet		
		(iii) Cylinder - Aluminium cylinder with pressure gauge		
		(iv) Capacity - approx. 350 shots/ cylinder		
		(v) Max energy 7.5 Joules		
		(vi) Grip - right/ left		
		(vii) Trigger - two stage trigger		
		(viii) Sights - match diopter & standard foresight holder		
		(ix) Sight length up to 800mm		
		(x) Barrel length 500mm		
		(xi) Dimensions (L/H/W) 1058 mm-1109 mm/ 230 mm/		
		60 mm		
		(xii) Weight 3970 gm		
		(xiii) Stock - Aluminium stock carrier		
(4)	DCD Club Laval	,	Noo	02
(d)	PCP Club Level Pistol Indian	Technical Specifications (i) Description Motes Pro Air Dietal	Nos	02
	Pistoi indian	(i) Description - Match Pro Air Pistol		
		(ii) Caliber - 4.5mm (.177)		
		(iii) Max velocity - 150m/ 490 fps		
		(iv) Max pressure - 160 bar/ 2320 PSI		
		(v) Power up to 5.5 Joules/ 4.1 ft-lb		
		(vi) Power plant - PCP		
		(vii) Action mechanism - side lever		
		(viii) Barrel length - 245 mm		
		(ix) Total length - 422 mm		
		(x) Total weight - 01 kg		
		(xi) Barrel material steel		
		(xii) Barrel 12 Groove - Right hand twist 1 in 450 mm		
		(xiii) Front sight - 4.5 mm width, replaceable element		
		(xiv) Rear sight - 4.2 to 4.6 notch, replaceable element		
		(xv) Safety Manual (Hammer Blocking)		
		(xvi) Trigger - two stage adjustable match grade trigger		
		(xvii) Stock - Ambidextrous anatomical		
		(xviii) Grip with adjustable palm - shelf		
		(xix) Shots per fill - 140 consistent shots		
(e)	PCP Club Level	Technical Specifications	Nos	01
	Pistol imported	(i) System - Compressed air 200 bar		
		(ii) Caliber - 4.5mm (.177)		
		(iii) Max energy 7.5 Joules		
		(iv) Trigger weight - 500 gm		
		(v) Sights - Front sight 3.8/ 4.4/ 4.7		
		(vi) Shots - 150		
		(vii) Grip - match wooden grip right/ left, size XS-S-M-		
		L-XL		
		(viii) Weight - 855 gm		
		(ix) Barrel length - 221 mm, L/H/W - 420mm/ 140mm/		
		50mm		
		(x) Barrel without gas ports		
		(xi) Cylinder aluminium compressed air, black		

S No	Nomenclature of Work	Description of Work	A/U	Qty
(f)	Filling Device	Technical Specifications	Nos	01
	Ü	(i) DIN adapter to connect to Scuba tank		
		(ii) Pressure gauge to show the pressure filled		
		into PCP Air Rifle		
		(iii) Valve to control the pressure		
		(iv) Bleed valve to release the pressure before		
		disconnecting PCP Air Rifle		
		(v) Hose tested to 9000 PSI pressure with 1/8"		
		female connector to connect to rifle adapter (not		
		supplied with this kit, the adapter usually comes		
()	O A.:-	with the air gun)	NI	00
(g)	Compressed Air	Technical Specifications. 200 compressed	Nos	03
	Refilling Cylinder	air bottles made in Germany with a technical control		
		admission of 10 years for recharging air pistol and		
(h)	Boxes of Imported	air rifle cylinders. Technical Specifications	Nos	50
(11)	Pellets	(i) Caliber - 4.5 mm (.177)	1105	30
	i ellets	(ii) Weight - 0.45 gm (7.0 grains)		
		(iii) Head Diameter - 4.50 mm		
		(iv) Length - 5.2 mm		
		(v) Pellet Shape - flat head (wadcutter)		
		(vi) Material - Lead		
		(vii) Quantity per Tin - 500		
(j)	Targets	Technical Specifications	Nos	5000
	_	(i) 10 m Air Pistol target paper		(2500
		- 17 cm x 17 cm		each for
		- Set of 100 Target papers		Air Rifle
		(ii) 10 m Air Rifle target paper		& Air
		- 10 cm x 10 cm		Pistol
		- Set of 100 Target papers		
		(iii) Designed to fit standard target holders		
4.)		(iv) With bull and numbered rings		
(k)	Dummy Pistol	Technical Specifications	Nos	02
		(i) Designed for dry practice in a 10m shooting		
		range		
		(ii) Resembles a standard competition or service		
		pistol in weight, grip and balance		
		(iii) Non-functional, no firing mechanism or ability to discharge projectiles		
		(iv) Suitable for trigger control, grip training and		
		stance practice		
(I)	Rifle Stand	Technical Specifications	Nos	02
(')	Otalia	(i) Designed for supporting air rifles during 10m	. 100	
		ISSF shooting events and practice sessions		
		(ii) Adjustable height to accommodate shooters		
		in standing, kneeling and prone positions		
		(iii) Stable, non-slip base to ensure rigidity and		
		prevent movement		
		(iv) Lightweight yet durable for easy portability		
		and long-term use		

S No	Nomenclature of Work	Description of Work	A/U	Qty
(m)	Dry Training	Technical Specifications	Nos	02
, ,	Target System	(i) Designed for dry fire training (without pellets)		
		(ii) Compatible with 10m Olympic standard air		
		rifles and air pistols		
		(iii) Mimics actual target dimensions for realistic		
		training		
		(iv) Durable and resistant to wear from frequent		
		use		
(n)	VIP Binocular	Technical Specifications	Nos	02
		(i) Age Range (Description) - Adult		
		(ii) Water Resistant		
		(iii) Objective lens diameter - 50		
		(iv) Magnification Max - 20		
		(v) Multi-coated optics		
(.)	D:0 0 1 1	(vi) Rubber covered, aluminium body	NI.	00
(o)	Rifle Shooter's	Specifications for Shooting Jacket (for Rifle	Nos	02
	Kit (Jacket, Trouser, Glove)	shooters) (i) Material: Leather, canvas or synthetic		
	1100361, G10V6)	(i) Material: Leather, canvas or synthetic composite for stiffness and support		
		(ii) Fasteners: High-quality Velcro, buttons or		
		hooks for a secure fit		
		(iii) Reinforcement: Padded areas at shoulders		
		and elbows for stability		
		(iv) Fit Compliance: Must follow ISSF Rule 7.5.4		
		(stiffness & thickness regulations)		
		Specifications for Shooting Trousers (for Rifle		
		shooters)		
		(i) Material: Same as Jacket (leather/ canvas/		
		synthetic)		
		(ii) Knee Support: Padded for kneeling position		
		omfort		
		(iii) Closure: Velcro, zippers or buttons for		
		adjustability		
		(iv) Compliance: Must meet ISSF Rule 7.5.5 for		
		flexibility and fit		
		Specifications for Shooting Gloves (for Rifle		
		shooters)		
		(i) Material: Leather or synthetic fabric with non-		
		slip grip (ii) Padding: Adequate for comfort but must not		
		(ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7		
		(iii) Flexibility: Must allow natural hand positioning		
(p)	Rifle & Pistol	World class rifle and pistol shooter shoes made	Nos	04 pairs
(٢)	Shooter Shoes	according to the ISSF specifications	1400	(02 each)
(q)	Ear Muffs	Technical Specifications	Nos	04
(7)		(i) Noise cancelling for shooting practice		
		(ii) Adjustable		
		(iii) Shooter's ear protection safety		
		(iv) Lightweight, noise protection		
		(IV) Lightweight, noise protection		

S No	Nomenclature of Work	Description of Work	A/U	Qty
(r)	Weapon Storage	Technical Specifications	Nos	01
	Almirah	(i) Body - 16 gauge mild steel (MS) or stainless		
		steel (SS) for durability		
		(ii) Doors - double walled reinforced steel with		
		concealed hinges		
		(iii) Coating - Anti-corrosion powder coating		
		(iv) Welding - Seamless, spot-welded for		
		enhanced security		
		(v) Dimensions - 1800mm (H) x 900mm (W) x		
		450mm (D)		
		(vi) Internal - Adjustable racks/ shelves for different		
		firearms and ammunition		
		(vii) Designed to store 10 Air Rifles or Pistols		

Station	:	Signature of Tenderer(s)
Date	:	(Name & Address in full and Capacity i.e.
		Proprietor/Partner/Authorised Attorney etc.)
		Contact No: -
		Contact No: -

(RUBBER STAMP)

FORM FOR TECHNICAL BID AND COMPLIANCE STATEMENT FOR TECHNICAL QUALITATIVE REQUIREMENTS (QR)

The Principal Army Public School, Chandimandir Cantt, Distt - Panchkula, Haryana Pin 134107

1.	Ref your Newspaper advertisement dated	2024.
	rici your riciropapor advertisement adied	2027

2. We hereby submit our technical bid in response to your above quoted letter.

S	Nomenclature	Description of Work	Complied/	Remarks/
No	of Work	•	Not	Deviations
			Complied	
(a)	Top End		Yes/No	
	Premium	(i) 304 grade stainless steel (Jindal/J&B)		
	(stainless steel,	structure, single continuous shooter table for six		
	Malaysian	lanes		
	rubber wood)	(ii) High end electronic target trolley machine		
	shooters table	set quantity 06		
	and target end	(iii) Fully vinyl finish on shooter table		
	structure	(iv) Frame based target end structure,		
		independent of wall		
		(v) Malaysian rubber board finish on target		
		end		
		(vi) Electrification as per ISSF/NRAI standards		
		(vii) Premium LED recessed/panel lighting of		
		various luminosity as per ISSF standards		
		(viii) Complete wiring and electric fittings with		
		ISI approved premium brand		
		(ix) Non-skid 2mm vinyl carpet in complete		
		range		
(b)	PCP Rifles	Technical Specifications	Yes/No	
	Indian	(i) Max Velocity 175 mps/ 575 fps.		
		(ii) Power 7.5 Joules/ 5.5 ft-lb		
		(iii) Max pressure 155 bars/ 2250 PSI		
		(iv) Power plant PCP with self-regulating valve		
		(v) Shots per fill - 150 consistent shots		
		(vi) Barrel 12 Groove right hand twist 1 in		
		450mm		
		(vii) Front sight - Aperture sight with		
		replaceable front element		
		(viii) Rear sight - 20 clicks rear sight with anti-		
		glare tube mounted on 15mm riser block		
		(ix) Action mechanism side lever		
		(x) Barrel length 580mm		
		(xi) Total weight 04 kgs		
		(xii) Caliber .177" (4.5mm)		
		(xiii) Safety/ Dry fire Manual (Hammer Blocking)		
		, , , , , , , , , , , , , , , , , , , ,		
			<u> </u>	

S No	Nomenclature of Work	Description of Work	Complied/ Not Complied	Remarks/ Deviations
(b)	PCP Rifles Indian	 (xiv) Trigger two-stage match grade trigger. Adjustable for trigger point, length of first pull, trigger reach, height & swivel. (xv) Butt/ Stock Aluminium adjustable ambidextrous match butt Adjustable cheek piece - up/ down, left/ right & tilt Adjustable butt plate - forward/ backward for length of pull & swivel, up/down Ambidextrous pistol grip - adjustable forward/ backward & rotation 	Yes/No	
(c)	Club Level PCP Rifle Imported	Technical Specifications (i) System - Compressed air 300 and 200 bar (ii) Caliber - 4.5mm (.177) pellet (iii) Cylinder - Aluminium cylinder with pressure gauge (iv) Capacity - approx. 350 shots/ cylinder (v) Max energy 7.5 Joules (vi) Grip - right/ left (vii) Trigger - two stage trigger (viii) Sights - match diopter & standard foresight holder (ix) Sight length up to 800mm (x) Barrel length 500mm (xi) Dimensions (L/H/W) 1058 mm-1109 mm/ 230 mm/ 60 mm (xii) Weight 3970 gm (xiii) Stock - Aluminium stock carrier	Yes/No	
(d)	PCP Club Level Pistol Indian	Technical Specifications (i) Description - Match Pro Air Pistol (ii) Caliber - 4.5mm (.177) (iii) Max velocity - 150m/ 490 fps (iv) Max pressure - 160 bar/ 2320 PSI (v) Power up to 5.5 Joules/ 4.1 ft-lb (vi) Power plant - PCP (vii) Action mechanism - side lever (viii) Barrel length - 245 mm (ix) Total length - 422 mm (x) Total weight - 01 kg (xi) Barrel material steel (xii) Barrel 12 Groove - Right hand twist 1 in 450 mm (xiii) Front sight - 4.5 mm width, replaceable element (xiv) Rear sight - 4.2 to 4.6 notch, replaceable element (xv) Safety Manual (Hammer Blocking)	Yes/No	

S No	Nomenclature of Work	Description of Work	Complied/ Not Complied	Remarks/ Deviations
(d)	PCP Club Level Pistol Indian	(xvi) Trigger - two stage adjustable match grade trigger(xvii) Stock - Ambidextrous anatomical(xviii) Grip with adjustable palm - shelf		
(e)	PCP Club Level Pistol imported	(xix) Shots per fill - 140 consistent shots Technical Specifications (i) System - Compressed air 200 bar (ii) Caliber - 4.5mm (.177)	Yes/No	
		 (iii) Max energy 7.5 Joules (iv) Trigger weight - 500 gm (v) Sights - Front sight 3.8/ 4.4/ 4.7 (vi) Shots - 150 (vii) Grip - match wooden grip right/ left, 		
		size XS-S-M-L-XL (viii) Weight - 855 gm (ix) Barrel length - 221 mm, L/H/W - 420mm/ 140mm/ 50mm		
		(x) Barrel without gas ports(xi) Cylinder aluminium compressed air,black		
(f)	Filling Device	Technical Specifications (i) DIN adapter to connect to Scuba tank (ii) Pressure gauge to show the pressure filled into PCP Air Rifle (iii) Valve to control the pressure (iv) Bleed valve to release the pressure before disconnecting PCP Air Rifle	Yes/No	
		(v) Hose tested to 9000 PSI pressure with 1/8" female connector to connect to rifle adapter (not supplied with this kit, the adapter usually comes with the air gun)		
(g)	Compressed Air Refilling Cylinder	Technical Specifications. 200 compressed air bottles made in Germany with a technical control admission of 10 years for recharging air pistol and air rifle cylinders.	Yes/No	
(h)	Boxes of Imported Pellets	Technical Specifications (i) Caliber - 4.5 mm (.177) (ii) Weight - 0.45 gm (7.0 grains) (iii) Head Diameter - 4.50 mm (iv) Length - 5.2 mm (v) Pellet Shape - flat head (wadcutter) (vi) Material - Lead (vii) Quantity per Tin - 500	Yes/No	
(j)	Targets	Technical Specifications (i) 10 m Air Pistol target paper - 17 cm x 17 cm - Set of 100 Target papers (ii) 10 m Air Rifle target paper - 10 cm x 10 cm - Set of 100 Target papers (iii) Designed to fit standard target holders (iv) With bull and numbered rings	Yes/No	

S No	Nomenclature of Work	Description of Work	Complied/ Not Complied	Remarks/ Deviations
(k)	Dummy Pistol	Technical Specifications	Yes/No	
(,	,	(i) Designed for dry practice in a 10m	20,	
		shooting range		
		(ii) Resembles a standard competition or		
		service pistol in weight, grip and balance		
		(iii) Non-functional, no firing mechanism or		
		ability to discharge projectiles		
		(iv) Suitable for trigger control, grip training and stance practice		
(I)	Rifle Stand	Technical Specifications	Yes/No	
(')	Timo Giarra	(i) Designed for supporting air rifles during	1 00/140	
		10m ISSF shooting events and practice		
		sessions		
		(ii) Adjustable height to accommodate		
		shooters in standing, kneeling and prone		
		3, 3		
		positions		
		(iii) Stable, non-slip base to ensure rigidity		
		and prevent movement		
		(iv) Lightweight yet durable for easy		
		portability and long-term use) (h)	
(m)	Dry Training	Technical Specifications	Yes/No	
	Target System	(i) Designed for dry fire training (without		
		pellets)		
		(ii) Compatible with 10m Olympic standard		
		air rifles and air pistols		
		(iii) Mimics actual target dimensions for		
		realistic training		
		(iv) Durable and resistant to wear from		
		frequent use		
(n)	VIP Binocular	Technical Specifications	Yes/No	
		(i) Age Range (Description) - Adult		
		(ii) Water Resistant		
		(iii) Objective lens diameter - 50		
		(iv) Magnification Max - 20		
		(v) Multi-coated optics		
		(vi) Rubber covered, aluminium body		
(o)	Rifle Shooter's	Specifications for Shooting Jacket (for	Yes/No	
	Kit (Jacket,	Rifle shooters)		
	Trouser, Glove)	(i) Material: Leather, canvas or synthetic		
		composite for stiffness and support		
		(ii) Fasteners: High-quality Velcro, buttons		
		or hooks for a secure fit		
		(iii) Reinforcement: Padded areas at		
		shoulders and elbows for stability		
		(iv) Fit Compliance: Must follow ISSF Rule		
		7.5.4 (stiffness & thickness regulations)		
		Specifications for Shooting Trousers (for		
		Rifle shooters)		
		(i) Material: Same as Jacket (leather/		
		canvas/ synthetic)		
		(ii) Knee Support: Padded for kneeling		
		position comfort		
		Position connect		<u> </u>

S No	Nomenclature of Work	Description of Work	Complied/ Not Complied	Remarks/ Deviations
(0)	Rifle Shooter's Kit (Jacket, Trouser, Glove)	 (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand 	Complied	
		positioning		
(b)	Rifle & Pistol Shooter Shoes	World class rifle and pistol shooter shoes made according to the ISSF specifications	Yes/No	
(q)	Ear Muffs	Technical Specifications (i) Noise cancelling for shooting practice (ii) Adjustable (iii) Shooter's ear protection safety (iv) Lightweight, noise protection	Yes/No	
(r)	Weapon Storage Almirah	Technical Specifications (i) Body - 16 gauge mild steel (MS) or stainless steel (SS) for durability (ii) Doors - double walled reinforced steel with concealed hinges (iii) Coating - Anti-corrosion powder coating (iv) Welding - Seamless, spot-welded for enhanced security (v) Dimensions - 1800mm (H) x 900mm (W) x 450mm (D) (vi) Internal - Adjustable racks/ shelves for different firearms and ammunition (vii) Designed to store 10 Air Rifles or Pistols	Yes/No	

Station	i	Signature of Tenderer(s)
Date	:	(Name & Address in full and Capacity i.e.
		Proprietor/Partner/Authorised Attorney etc.)
		Contact No :-

(RUBBER STAMP)

The Principal Army Public School, Chandimandir Cantt, Distt- Panchkula (HR), Pin 134107.

FORM FOR COMMERCIAL BID

Dear I	Madam,
--------	--------

1.	Ref your Newspaper advertisement dated	2024

2. We hereby submit our commercial bid in response to your above cited letter.

S No	Items	Qty	Unit	Price	Total Cost
(a)	Top End Premium (stainless steel, Malaysian rubber wood) shooters table and target end structure Scope of Work (i) 304 grade stainless steel (Jindal/J&B) structure, single continuous shooter table for six lanes (ii) High end electronic target trolley machine set quantity 06 (iii) Fully vinyl finish on shooter table (iv) Frame based target end structure, independent of wall (v) Malaysian rubber board finish on target end (vi) Electrification as per ISSF/NRAI standards (vii) Premium LED recessed/panel lighting of various luminosity as per ISSF	01			Cost
	standards (viii) Complete wiring and electric fittings with ISI approved premium brand (ix) Non-skid 2mm vinyl carpet in complete range				
(b)	PCP Rifles Indian Technical Specifications (i) Max Velocity 175 mps/ 575 fps. (ii) Power 7.5 Joules/ 5.5 ft-lb (iii) Max pressure 155 bars/ 2250 PSI (iv) Power plant PCP with self- regulating valve (v) Shots per fill - 150 consistent shots (vi) Barrel 12 Groove right hand twist 1 in 450mm (vii) Front sight - Aperture sight with replaceable front element (viii) Rear sight - 20 clicks rear sight with anti-glare tube mounted on 15mm riser block (ix) Action mechanism side lever (x) Barrel length 580mm	02			

S No	Items	Qty	Unit	Price	Total Cost
(b)	(xi) Total weight 04 kgs				
	(xii) Caliber .177" (4.5mm)				
	(xiii) Safety/ Dry fire Manual (Hammer				
	Blocking)				
	(xiv) Trigger two-stage match grade trigger.				
	Adjustable for trigger point, length of first pull,				
	trigger reach, height & swivel.				
	(xv) Butt/ Stock				
	- Aluminium adjustable ambidextrous				
	match butt				
	- Adjustable cheek piece - up/ down,				
	left/ right & tilt				
	- Adjustable butt plate - forward/				
	backward for length of pull & swivel,				
	up/down				
	- Ambidextrous pistol grip - adjustable				
()	forward/ backward & rotation	0.4			
(c)	Club Level PCP Rifle Imported	01			
	Technical Specifications				
	(i) System - Compressed air 300 and 200				
	bar (ii) Calibar 4.5mm (177) pollet				
	(ii) Caliber - 4.5mm (.177) pellet (iii) Cylinder - Aluminium cylinder with				
	` ′				
	pressure gauge (iv) Capacity - approx. 350 shots/ cylinder				
	(v) Max energy 7.5 Joules				
	(vi) Grip - right/ left				
	(vii) Trigger - two stage trigger				
	(viii) Sights - match diopter & standard				
	foresight holder				
	(ix) Sight length up to 800mm				
	(x) Barrel length 500mm				
	(xi) Dimensions (L/H/W) 1058 mm-1109				
	mm/ 230 mm/ 60 mm				
	(xii) Weight 3970 gm				
	(xiii) Stock - Aluminium stock carrier				
(d)	PCP Club Level Pistol Indian	02			
	Technical Specifications				
	(i) Description - Match Pro Air Pistol				
	(ii) Caliber - 4.5mm (.177)				
	(iii) Max velocity - 150m/ 490 fps				
	(iv) Max pressure - 160 bar/ 2320 PSI				
	(v) Power up to 5.5 Joules/ 4.1 ft-lb				
	(vi) Power plant - PCP				
	(vii) Action mechanism - side lever				
	(viii) Barrel length - 245 mm				
	(ix) Total length - 422 mm				
	(x) Total weight - 01 kg				
	(xi) Barrel material steel				
	(xii) Barrel 12 Groove - Right hand twist 1 in 450 mm				
	(xiii) Front sight - 4.5 mm width, replaceable				
	element				
	Comone		j		

S No	Items	Qty	Unit	Price	Total Cost
(d)	(xiv) Rear sight - 4.2 to 4.6 notch,				
	replaceable element				
	(xv) Safety Manual (Hammer Blocking)				
	(xvi) Trigger - two stage adjustable match				
	grade trigger				
	(xvii) Stock - Ambidextrous anatomical				
	(xviii) Grip with adjustable palm - shelf				
(e)	(xix) Shots per fill - 140 consistent shots PCP Club Level Pistol imported	01			
(0)	Technical Specifications	01			
	(i) System - Compressed air 200 bar				
	(ii) Caliber - 4.5mm (.177)				
	(iii) Max energy 7.5 Joules				
	(iv) Trigger weight - 500 gm				
	(v) Sights - Front sight 3.8/ 4.4/ 4.7				
	(vi) Shots - 150				
	(vii) Grip - match wooden grip right/ left,				
	size XS-S-M-L-XL				
	(viii) Weight - 855 gm				
	(ix) Barrel length - 221 mm, L/H/W -				
	420mm/ 140mm/ 50mm				
	(x) Barrel without gas ports				
	(xi) Cylinder aluminium compressed air,				
	black				
(f)	Filling Device	01			
	Technical Specifications				
	(i) DIN adapter to connect to Scuba tank				
	(ii) Pressure gauge to show the pressure				
	filled into PCP Air Rifle				
	(iii) Valve to control the pressure				
	(iv) Bleed valve to release the pressure				
	before disconnecting PCP Air Rifle (v) Hose tested to 9000 PSI pressure				
	(v) Hose tested to 9000 PSI pressure with 1/8" female connector to connect to rifle				
	adapter (not supplied with this kit, the				
	adapter usually comes with the air gun)				
(g)	Compressed Air Refilling Cylinder	03			
(3/	Technical Specifications. 200 compressed				
	air bottles made in Germany with a technical				
	control admission of 10 years for recharging				
	air pistol and air rifle cylinders.				
(h)	Boxes of Imported Pellets				
	Technical Specifications				
	(i) Caliber - 4.5 mm (.177)				
	(ii) Weight - 0.45 gm (7.0 grains)				
	(iii) Head Diameter - 4.50 mm				
	(iv) Length - 5.2 mm				
	(v) Pellet Shape - flat head (wadcutter)				
	(vi) Material - Lead				
	(vii) Quantity per Tin - 500				

S No	Items	Qty	Unit	Price	Total Cost
(j)	Targets	5000			Cost
	Technical Specifications	(2500			
	(i) 10 m Air Pistol target paper	each			
	- 17 cm x 17 cm	for Air			
	- Set of 100 Target papers	Rifle &			
	(ii) 10 m Air Rifle target paper	Air			
	- 10 cm x 10 cm	Pistol			
	- Set of 100 Target papers				
	1 , ,				
	holders				
(1-)	(iv) With bull and numbered rings	00			
(k)	Dummy Pistol	02			
	Technical Specifications				
	(i) Designed for dry practice in a 10m				
	shooting range				
	(ii) Resembles a standard competition or				
	service pistol in weight, grip and balance				
	(iii) Non-functional, no firing mechanism				
	or ability to discharge projectiles				
	(iv) Suitable for trigger control, grip				
	training and stance practice				
(l)	Rifle Stand	02			
	Technical Specifications				
	(i) Designed for supporting air rifles				
	during 10m ISSF shooting events and				
	practice sessions				
	(ii) Adjustable height to accommodate				
	shooters in standing, kneeling and prone				
	positions				
	·				
	(iii) Stable, non-slip base to ensure				
	rigidity and prevent movement				
	(iv) Lightweight yet durable for easy				
(100)	portability and long-term use	00			
(m)	Dry Training Target	02			
	Technical Specifications				
	(i) Designed for dry fire training (without				
	pellets)				
	(ii) Compatible with 10m Olympic				
	standard air rifles and air pistols				
	(iii) Mimics actual target dimensions for				
	realistic training				
	(iv) Durable and resistant to wear from				
	frequent use				
(n)	VIP Binocular	02			
	Technical Specifications				
	(i) Age Range (Description) - Adult				
	(ii) Water Resistant				
	(iii) Objective lens diameter - 50				
	(iv) Magnification Max - 20				
	(v) Multi-coated optics				
	(vi) Rubber covered, aluminium body				
	(vi) Rubbei Govereu, aiuminium bouy				

(o) Rifle Shooter's Kit (Jacket, Trouser, Glove) Specifications for Shooting Jacket (for Rifle shooters) (i) Material: Leather, canvas or synthetic composite for stiffness and support (ii) Fasteners: High-quality Velcro, buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	ifications for Shooting Jacket (for shooters) Material: Leather, canvas or synthetic sosite for stiffness and support Fasteners: High-quality Velcro, as or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)	02		Cost
Rifle shooters) (i) Material: Leather, canvas or synthetic composite for stiffness and support (ii) Fasteners: High-quality Velcro, buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	shooters) Material: Leather, canvas or synthetic posite for stiffness and support Fasteners: High-quality Velcro, and or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
(i) Material: Leather, canvas or synthetic composite for stiffness and support (ii) Fasteners: High-quality Velcro, buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Material: Leather, canvas or synthetic sosite for stiffness and support Fasteners: High-quality Velcro, as or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
composite for stiffness and support (ii) Fasteners: High-quality Velcro, buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	rosite for stiffness and support Fasteners: High-quality Velcro, Ins or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
(ii) Fasteners: High-quality Velcro, buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Fasteners: High-quality Velcro, ns or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
buttons or hooks for a secure fit (iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	ns or hooks for a secure fit Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
(iii) Reinforcement: Padded areas at shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Reinforcement: Padded areas at ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
shoulders and elbows for stability (iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/ canvas/ synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	ders and elbows for stability Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
(iv) Fit Compliance: Must follow ISSF Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Fit Compliance: Must follow ISSF 7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
Rule 7.5.4 (stiffness & thickness regulations) Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	7.5.4 (stiffness & thickness regulations) ifications for Shooting Trousers (for shooters)			
Specifications for Shooting Trousers (for Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	ifications for Shooting Trousers (for shooters)			
Rifle shooters) (i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	shooters)			
(i) Material: Same as Jacket (leather/canvas/synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand				
canvas/ synthetic) (ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Material: Same as Jacket (leather/			
(ii) Knee Support: Padded for kneeling position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand				
position comfort (iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	as/ synthetic)			
(iii) Closure: Velcro, zippers or buttons for adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand				
adjustability (iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand				
(iv) Compliance: Must meet ISSF Rule 7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	• • •			
7.5.5 for flexibility and fit Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	-			
Specifications for Shooting Gloves (for Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	•			
Rifle shooters) (i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	-			
(i) Material: Leather or synthetic fabric with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand				
with non-slip grip (ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	shooters)			
(ii) Padding: Adequate for comfort but must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	Material: Leather or synthetic fabric			
must not exceed ISSF Rule 7.5.7 (iii) Flexibility: Must allow natural hand	non-slip grip			
(iii) Flexibility: Must allow natural hand				
	not exceed ISSF Rule 7.5.7			
l nocitioning				
positioning		0.4		
(p) Rifle & Pistol Shooter Shoes. World class 04				
rifle and pistol shooter shoes made pairs according to the ISSF specifications (02	•	•		
each)	•	`		
(q) Ear Muffs 04		,		
Technical Specifications	nical Specifications			
(i) Noise cancelling for shooting practice				
(ii) Adjustable	3 .			
(iii) Shooter's ear protection safety				
(iv) Lightweight, noise protection				
(r) Weapon Storage Almirah 01		01		
Technical Specifications				
(i) Body - 16 gauge mild steel (MS) or	Body - 16 gauge mild steel (MS) or			
stainless steel (SS) for durability	` ,			
(ii) Doors - double walled reinforced steel	Doors - double walled reinforced steel			
with concealed hinges	concealed hinges			
(iii) Coating - Anti-corrosion powder	Coating - Anti-corrosion powder			
coating	ng			
(iv) Welding - Seamless, spot-welded for	Welding - Seamless, spot-welded for			
enhanced security	nced security			
(v) Dimensions - 1800mm (H) x 900mm	- · · · · · · · · · · · · · · · · · · ·			
(W) x 450mm (D)	•			

S No	Items	Qty	Unit	Price	Total Cost
(r)	(vi) Internal - Adjustable racks/ shelves				
	for different firearms and ammunition				
	(vii) Designed to store 10 Air Rifles or				
	Pistols				

Station	:	Signature of Tenderer(s)
Date	:	(Name & Address in full and Capacity i.e.
		Proprietor/Partner/Authorised Attorney etc.)
		Contact No :
		(DIIDDED STAMD)

PART III: STANDARD CONDITIONS OF RFP

The Bidder is required to give confirmation of their acceptance of the Standard Conditions of the Request for Proposal mentioned below which will automatically be considered as part of the Contract concluded with the successful Bidder (i.e. Seller in the Contract) as selected by the Buyer. Failure to do so may result in rejection of the Bid submitted by the Bidder.

- 1. <u>Law.</u> The Contract shall be considered and made in accordance with the laws of the Republic of India. The contract shall be governed by and interpreted in accordance with the laws of the Republic of India.
- 2. <u>Effective Date of Contract.</u> The contract shall come into effect on the date of signing of supply order by this office and shall remain valid until the completion of the obligations of the parties under the contract. The delivers and supplies and performance of the services shall commence from the effective date of the contract.

3. Arbitration

(a) All disputes or differences arising out of or in connection with the Contract shall be settled by bilateral discussions. Any dispute, disagreement or question arising out of or relating to the Contract or relating to construction or performance, which cannot be settled amicably, may be resolved through arbitration.

(b) <u>Time Limit for Arbitration</u>

- (i) If no request in writing for arbitration is made by the vendor within a period of six months from the date of completion of contract, all claims of the contractor under the contract shall be deemed to be waived and absolutely barred and the **Buyer** shall be discharged and released of all his liabilities under the contract.
- (ii) The date of completion of contract shall mean and include the date on which the one month testing period after the construction is completed.
- (c) <u>Jurisdiction of Courts.</u> The courts of the place from where the acceptance of tenders has been issued shall alone have jurisdiction to decide any dispute arising out of the contract.
- Penalty for Use of Undue Influence. The Seller undertakes that he has not given, offered or promised to give, directly or indirectly, any gift, consideration, reward, commission, fees, brokerage or inducement to any person in service of the Buyer or otherwise in procuring the Contracts or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of the contract. Any breach of the aforesaid undertaking by the Seller or any one employed by him or acting on his behalf (whether with or without the knowledge of the Seller) or the commission of any offers by the Seller or anyone employed by him or acting on his behalf, as defined in Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1986 or any other Act enacted for the prevention of corruption shall entitle the Buyer to cancel the contract and all or any other contracts with the Seller and recover from the Seller the amount of any loss arising from such cancellation. A decision of the Buyer or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the Seller. Giving or offering of any gift, bribe or inducement or any attempt at any such act on behalf of the Seller towards any officer/employee of the Buyer or to any other person in a position to influence any officer/employee of the Buyer for showing any favour in relation to this or any other contract, shall render the Seller to such liability/ penalty as the Buyer may deem proper, including but not limited to termination of the contract, imposition of penal damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the Buyer.
- 4. <u>Agents / Agency Commission.</u> The Seller confirms and declares to the Buyer that the Seller is the original dealer of the work to be constructed referred to in this Contract and has not engaged any individual, whether officially or unofficially, to the award of the contract to the Seller; nor has any amount been paid, promised or intended to be paid to any such individual in respect of any such intercession, facilitation or recommendation. The Seller agrees that if it is established at any time to the satisfaction of the Buyer that the present declaration is in any

way incorrect or if at a later stage it is discovered by the Buyer that the Seller has engaged any such individual, and paid or intended to pay any amount, gift, reward, fees, commission or consideration to such person, whether before or after the signing of this contract, the Seller will be liable to refund that amount to the Buyer. The Buyer will also have a right to consider cancellation of the Contract either wholly or in part, without any entitlement or compensation to the Seller.

- 5. <u>Non-disclosure of Contract Documents.</u> Except with the written consent of the Buyer/ Seller, other party shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party.
- 6. <u>Liquidated Damages.</u> In the event of the Seller's failure to submit the Bonds, Guarantees and Documents, supply the stores/goods and conduct trials, etc., specified in this supply order, the Buyer may, at his discretion, withhold any payment until the completion of the supply order. The BUYER may also deduct from the SELLER as agreed, liquidated damages to the sum of 0.5% of the supply order price of the delayed/undelivered stores/services mentioned above for every week of delay or part thereof a week, subject to the LD not exceeding 10% of the total value of goods/services delayed beyond the original date of delivery/completion of supplied/ service a indicated in the supply order".
- 7. <u>Termination of Contract.</u> The Buyer shall have the right to terminate this Contract in part or in full in any of the following cases:-
 - (a) The delivery of the material is delayed for causes not attributable to Force Majeure for more than **thirty days** after the scheduled date of delivery.
 - (b) The Seller is declared bankrupt or becomes insolvent.
 - (c) The delivery of material is delayed due to causes of Force Majeure by more than three months.
 - (d) The Buyer has noticed that the Seller has utilised the services of an agent in getting this contract and paid any commission to such individual / company etc.
 - (e) As per decision of the Arbitration Tribunal.
- 8. <u>Transfer and Sub-letting.</u> The Seller has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Contract or any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.
- 9. <u>Amendments.</u> No provision of present Contract shall be changed or modified in any way (including this provision) either in whole or in part except by an instrument in writing made after the date of this Contract and signed on behalf of both the parties and which expressly states to amend the present Contract.

10. Taxes and Duties

(a) **General**

- (i) Bidders must indicate separately the relevant taxes/Duties likely to be paid in connection with delivery of completed goods specified in RFP. In absence of this, the total cost quoted by them in their bids will be taken into account in the ranking of bids.
- (ii) If a bidder is exempted from payment of any duty/tax up to any value of supplies from them, he should clearly state that no such duty/tax will be charged by them up to the limit of exemption which they may have. If any concession is available in regard to rate/quantum of any Duty/tax, it should be brought out clearly. In such cases, relevant certificate will be issued by the Buyer later to enable the Seller to obtain exemptions from taxation authorities.
- (iii) Any changes in levies, taxes and duties levied by central/ State/ local governments such as excise duty, VAT, Service tax, octroi/entry tax, etc., on final product upward as a result of any statutory variation taking place within contract period shall be allowed reimbursement by the Buyer to the extent of actual quantum of such duty/tax paid by the Seller. Similarly, in case of downward revision in any such duty/tax, the actual quantum of reduction of such duty/tax shall be reimbursed to the Buyer by the Seller. All such adjustments shall include all relief, exemptions, rebates, concessions, etc., if any, obtained by the Seller. Section 64-A of Sales of Goods Act will be relevant in this situation.

(iv) Levies, taxes and duties levied by central/ State/ local governments such as excise duty, VAT, Service tax, octroi/entry tax, etc., on final product will be paid by the Buyer on actual, based on relevant documentary evidence.

(b) Excise Duty

- (i) Where the excise duty is payable on ad valorem basis, the Bidder should submit along with the tender, the relevant form and the Manufacturer's price list showing the actual assessable value of the stores as approved by the Excise authorities.
- (ii) Bidders should note that in case any refund of excise duty is granted to them by Excise authorities in respect of Stores supplied under the contract, they will pass on the credit to the Buyer immediately along with a certificate that the credit so passed on relates to the Excise Duty, originally paid for the stores supplied under the contract. In case of their failure to do so, within 10 days of the issue of the excise duty refund orders to them by the Excise Authorities the Buyer would be empowered to deduct a sum equivalent to the amount refunded by the Excise Authorities without any further reference to them from any of their outstanding bills against the contract or any other pending Government Contract and that no disputes on this account would be raised by them.

(c) Sales Tax / GST

- (i) If it is desired by the Bidder to ask for Sales tax / GST to be paid as extra, the same must be specifically stated. In the absence of any such stipulation in the bid, be presumed that the prices quoted by the Bidder are inclusive of sales tax and no liability of sales tax will be developed upon the Buyer.
- (ii) On the Bids quoting sales tax extra, the rate and the nature of Sales Tax applicable at the time of supply should be shown separately. Sales tax will be paid to the Seller at the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to sales tax and the same is payable as per the terms of the contract.

(d) Octroi Duty & Local Taxes

- (i) Normally, materials to be supplied to Government Departments against Government Contracts are exempted from levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies. The local Town/Municipal Body regulations at times, however, provide for such Exemption only on production of such exemption certificate from any authorised officer. Seller should ensure that stores ordered against contracts placed by this office are exempted from levy of Town Duty/Octroi Duty, Terminal Tax or other local taxes and duties. Wherever required, they should obtain the exemption certificate from the Buyer, to avoid payment of such local taxes or duties.
- (ii) In case where the Municipality or other local body insists upon payment of these duties or taxes the same should be paid by the Seller to avoid delay in supplies and possible demurrage charges. The receipt obtained for such payment should be forwarded to the Buyer without delay together with a copy of the relevant act or bylaws / notifications of the Municipality of the local body concerned to enable him to take up the question of refund with the concerned bodies if admissible under the said acts or rules.
- 11. Payment Terms for Indigenous Sellers. It will be mandatory for the Bidders to indicate their bank account numbers and other relevant payment details so that payments could be made through RTGS/NEFT mechanism instead of payment through cheques, wherever feasible. The payment will be made as per the following terms, on production of the requisite documents:
 - (a) 20% of total cost of the project shall be paid to the vendor on delivery of complete stores and commencement of the work.
 - (b) 40% of the total cost of the project on completion of the structure of the project.
 - (c) 30% of the total cost of the project will be given on completion of the project and signing of the ATP (Acceptance Test Procedure).

- (d) Bal 10 % of the cost will be paid 30 days after ATP on satisfactory performance of the work.
- (e) The firm will quote its Sales Tax /GST registration number on the bill and also endorse the following certificate on the bill where Sale Tax/GST is charged:-

"Certified that the goods, on which Sales Tax/GST has been charged have not been exempted under the Sales Tax Act/CSP or the rules made there under. The charges levied on account of Sales Tax on the goods supplied are correct under the provisions of the Act or rules made there under"

- (f) The payment of all taxes/duties (Customs duty / GST or any other tax) will be paid on receipt of documentary proof.
- 12. <u>Paying Authority.</u> Army Public School Chandimandir Cantt. The payment of bills will be done through Account Payee cheque on submission of the following documents by the Seller to the Paying Authority along with the bill:-
 - (a) Ink-signed copy of Commercial invoice / Seller's bill.
 - (b) Claim for statutory and other levies to be supported with requisite documents/ proof of payment such as Excise duty challan, Customs duty clearance certificate, Octroi receipt, proof of payment for EPF/ESIC contribution with nominal roll of beneficiaries, etc., as applicable.
 - (c) Exemption certificate for Excise duty / Customs duty, if applicable.
 - (d) Details for electronic payment viz Account holder's name, Bank name, Branch name and address, Account type, Account number, IFSC code, MICR code (if these details are not incorporated in supply order/contract).
 - (e) Any other document / certificate that may be provided for in the Supply Order / Contract.

13. Risk & Expense Clause

- (a) Should the stores or any installment thereof not be delivered within the time or times specified in the contract documents, or if defective delivery is made in respect of the stores or any installment thereof, the Buyer shall after granting the Seller 45 days to cure the breach, be at liberty, without prejudice to the right to recover liquidated damages as a remedy for breach of contract, to declare the contract as cancelled either wholly or to the extent of such default.
- (c) Should the stores or any installment thereof not perform in accordance with the specifications / parameters provided by the SELLER during the check proof tests to be done at the BUYER's location, the BUYER shall be at liberty, without prejudice to any other remedies for breach of contract, to cancel the contract wholly or to the extent of such default.
- (c) In case of a material breach that was not remedied within 45 days, the BUYER shall, having given the right of first refusal to the SELLER be at liberty to purchase, manufacture, or procure from any other source as he thinks fit, other stores of the same or similar description to make good:-
 - (i) Such default.
 - (ii) In the event of the contract being wholly determined the balance of the stores remaining to be delivered there under.
- (d) Any excess of the purchase price, cost of manufacturer, or value of any stores procured from any other supplier as the case may be, over the contract price appropriate to such default or balance shall be recoverable from the SELLER.

14. Force Majeure Clause

- (a) Neither party shall bear responsibility for the complete or partial non-performance of any of its obligations (except for failure to pay any sum which has become due on account of receipt of goods under the provisions of the present contract), if the non-performance results from such Force Majeure circumstances as Flood, Fire, Earth Quake and other acts of God as well as War, Military operation, blockade, Acts or Actions of State Authorities or any other circumstances beyond the parties control that have arisen after the conclusion of the present contract.
- (b) In such circumstances the time stipulated for the performance of an obligation under the present contract is extended correspondingly for the period of time of action of these circumstances and their consequences.
- (c) The party for which it becomes impossible to meet obligations under this contract due to Force Majeure conditions, is to notify in written form the other party of the beginning and cessation of the above circumstances immediately, but in any case, not later than 10 (Ten) days from the moment of their beginning.
- (d) Certificate of a Chamber of Commerce (Commerce and Industry) or other competent authority or organization of the respective country shall be a sufficient proof of commencement and cessation of the above circumstances.
- (e) If the impossibility of complete or partial performance of an obligation lasts for more than 06 (six) months, either party hereto reserves the right to terminate the contract totally or partially upon giving prior written notice of 30 (thirty) days to the other party of the intention to terminate without any liability other than reimbursement on the terms provided in the agreement for the goods received.
- 15. <u>Transportation.</u> The following Transportation clause will form part of the contract placed on successful Bidder:-
 - (a) The stores shall be delivered at Army Public School Chandimandir Cantt.
 - (b) Seller will bear the costs and freight necessary to bring the goods to the destination.
 - (c) The Seller also has to procure insurance against the Buyer's risk of loss of or damage to goods during the carriage.
 - (d) The Seller will contract for insurance and pay the insurance premium.
- 16. <u>Inspection Authority.</u> The Inspection will be carried out by Acceptance Testing Board constituted by the management committee of **Army Public School, Chandimandir Cantt**. The mode of Inspection will be Joint Inspection by the Acceptance Testing Board and the seller.

17. Inspection and Acceptance Testing

- (a) <u>Initial Inspection.</u> Physical inspection of stores will be first carried out at **Army Public School, Chandimandir Cantt** by Opening Board constituted by the management committee of **Army Public School, Chandimandir Cantt** to ensure that all the items have been delivered as per bill of material. Items found defective/damaged/not conforming to technical QR will be replaced immediately by the seller with stores of correct specifications within 21 days of inspection at his own cost and risk. **In case of any dispute, decision of the buyer will be final and binding.**
- (b) <u>Inspection and Testing During Construction.</u> The Board constituted by the management committee of **Army Public School**, **Chandimandir Cantt** to oversee the execution of work will be at full liberty to inspect the work during construction at any time and bring out any anomaly, discrepancies or any other observation to the vendor or its rep. The vendor or the rep has to incorporate the changes suggested by the board within the scope of the work.
- (c) <u>Acceptance Testing.</u> ATB will be constituted to carry out ATP of the wk executed by the vendor. The bd will ascertain that the wk has been executed as specified in the SO.

18. <u>Performance Bank Guarantee.</u> The Bidder will be required to furnish a Performance Guarantee by way of Bank Guarantee through a public sector bank or a private sector bank authorized to conduct government business (ICICI Bank Ltd, Axis Bank Ltd or HDFC Bank Ltd.) for amount of 10% of the total bid value within 30 days of receipt of the confirmed order. Performance Bank Guarantee will be kept with the Principal, Army Public School, Chandimandir Cantt, Panchkula (HR), Pin-134107 and should be valid up to one year from the date of supply order. The specimen of PBG is given at Appendix D.

PART IV - EVALUATION CRITERIA & PRICE BID ISSUES

- 1. **Evaluation Criteria.** The broad guidelines for evaluation of Bids will be as follows:
 - (a) Only those Bids will be evaluated which are found to be fulfilling all the eligibility and qualifying requirements of the RFP, both technically and commercially. The commercial bids of vendors shortlisted by the TEC will only be opened. Vendors are requested to quote **COMPETITIVE AND REALISTIC PRICES IN THE INITIAL BID ONLY.** The negotiations will be held with the vendor who meets the QR and is the lowest bidder (L1).
 - (b) In respect of Two-Bid system, the technical Bids forwarded by the Bidders will be evaluated by the Buyer with reference to the technical characteristics of the equipment as mentioned in the RFP. The compliance of Technical Bids would be determined on the basis of the parameters specified in the RFP. The Price Bids of only those Bidders will be opened whose Technical Bids would clear the technical evaluation.
 - (c) The Lowest Bid will be decided upon the lowest price quoted by the particular Bidder cost of the project as per the Price Format given at Appendix D. Determination of L-1 will be done based on total of price (including GST and any others taxes as applicable).
 - (d) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected. If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.
- 2. <u>Price Bid Format.</u> The under mentioned Commercial bid format is provided as BoQ.xls along with this tender document at https: //eprocure.gov.in/eprocure/app. Bidders are advised to download this BoQ as it is and quote their offer in the permitted column. The Price Bid Format is given below and Bidders are required to fill this up correctly with full details:-
 - (a) Basic Price of Items

S No Item Unit Price Qty Total

(i) (Cost incl GST and any other tax if applicable)

(ii)

(iii)

Total price of item(s)

- (b) Accessories
- (c) Any other requirement

3. Additional Information in price Bid on Taxes and Duties

- (a) Is Excise Duty extra?
- (b) If yes, mention the following:-
 - (i) Total value of items on which Excise Duty is leviable:
 - (ii) Rate of Excise duty (item-wise if different ED is applicable):
 - (iii) Surcharge on Excise duty, if applicable?
 - (iv) Total value of excise duty payable:
- (c) Is Excise Duty Exemption (EDE) required:
- (d) If yes, then mention and enclose the following:
 - (i) Excise notification number under which EDE can be given:

- (e) Is VAT extra?
- (f) If yes, then mention the following:
 - (i) Total value on which VAT is leviable:
 - (ii) Rate of VAT:
 - (iii) Total value of VAT leviable:
- (g) Is Service Tax extra?
- (h) If yes, then mention the following:
 - (i) Total value of Services on which Service Tax is leviable:
 - (ii) Rate of Service Tax leviable:
 - (iii) Total value of Service Tax leviable:

Bid quoted 'As actual' will be summarily rejected. Note :-

- 1. Validity. The prices are valid upto 180 days from last date of submission of bid.
- 2. Please provide details of make and models offered of all items. Failure to provide details will render Bid invalid.
- 3. The tenders are required to spell out the rates of Customs Duty, Excise Duty, Sales Tax in unambiguous terms, otherwise their offers will be loaded with the maximum rates of duties and taxes for the purpose of comparison of prices. Incomplete bids shall be summarily rejected.
- 4. Commercial bids will be in Indian Rupees.
- 5. Please impress company seal and signature of authorised signatory on each pages of commercial bid.
- 6. State entry tax/octroi if any shall be clearly mentioned in the commercial bid. No exemption shall be provided for the same.
- 7. All the columns of commercial bid are required to be filled. In case a vendor has nothing to write in a particular column, 'Nil/NA' will be clearly mentioned and dashes will not be accepted. Commercial bids of the vendor not adhering to this will be summarily rejected and will not be processed further.
- 8. L1 will be decided upon the lowest price quoted by the particular Bidder cost of the project as per the Price Format given at Para 3 above. Determination of L-1 will be done based on total of basic price (including levies, taxes and duties levied by central/ State/ local governments such as excise duty, GST, Service tax, octroi/entry tax, etc) on final product of all items/ requirements.

Company Seal	(Authorised Signatory of Company)
Place:	
Date:	

PERFORMANCE BANK GUARANTEE FORMAT

From:	
Bank	
To, The Principal Army Public School Chandimandir Cantt, Distt – Panchkula (HR) Pin: 134107	
Dear Sir,	
1. Whereas you have entered into a contract No dated (hereinal referred to as the said Contract) with M/s, hereinafter referred to as "seller" for supply of goods as per Part-II of the said contract to the said seller and whereas Seller has undertaken to produce a bank guarantee for (%) of total Contract value mounto to secure its obligations to the President of India. We the b hereby expressly, irrevocably and unreservedly undertake and guarantee as principal oblig on behalf of the seller that, in the event that the President of India declares to us that the go have not been supplied according to the Contractual obligations under the aforemention contract, we will pay you, on demand and without demur, all and any sum up to a maximum nupees only. Your written demand shall be conclusive evidence to that such repayment is due under the terms of the said contract. We undertake to ef payment upon receipt of such written demand.	the the ting ank gors ods ned n of us
2. We shall not be discharged or released from this undertaking and guarantee by arrangements, variations made between you and the Seller, indulgence to the Seller by you by any alterations in the obligations of the Seller or by any forbearance whether as to paymetime performance or otherwise.	, or
3. In no case shall the amount of this guarantee be increased.	
4. This guarantee shall remain valid for one year from the date of supply order or until the store, spares and documentation have been supplied according to the contract obligations under the said contract.	
5. Unless a demand or claim under this guarantee is made on us in writing or on before aforesaid expiry date as provided in the above referred contract or unless this guarantee tended by us, all your rights under this guarantee shall be forfeited and we shall be dischart from the liabilities hereunder.	e is
6. This guarantee shall be a continuing guarantee and shall not be discharged by change in the constitution of the Bank or in the constitution M/s	and of
(Signature of the authorized officer of the Bank) Seal, name & address of the Bank and address of the Branch.	
Dated : (Authorised Signatory of the Company))
(Company's Seal)	